

STAINLESS STEEL PRECISION CASTING

CUSTOM CASTING | CNC MACHINING | SURFACE FINISHING | EXPORT MANUFACTURING

Cast. Machine. Deliver.

2026 PRODUCT CATALOG



PRECISION CASTING

- **Company Profile**
- **Manufacturing Process**
- **Finishing & Quality Control**

01-06

Boat Anchors

35-37

Cup Holders

07-11

Boat Cleats

38-43

Marine Ladders

12

Drain Plugs

44-54

Rod Holders

13-17

Deck Hinges

55-57

Bimini Top Caps

18-34

Hinges



Stainless Steel Precision Casting Factory

Precision Manufacturing Partner for Custom Stainless Steel Components

Qingdao Xspeed Marine Technology Co., Ltd. is a manufacturing partner based in Qingdao, focused on stainless steel precision casting and finished metal parts. Our work covers silica sol investment casting, machining, polishing and export packing for marine hardware and custom industrial components.

Projects can be reviewed from 2D/3D drawings, physical samples or application photos. For new parts, our team checks material grade, wall thickness, surface requirement and target quantity before production planning.

Manufacturing Scope

- 01 Silica Sol Investment Casting
- 02 CNC Machining and Drilling
- 03 Polishing and Surface Finishing
- 04 Custom Parts from Drawings or Samples
- 05 Inspection and Export Packing

01 Raw Material Inspection



02 Material Verification



03 Preparing Master Molds



04 Creating Wax Patterns



05 Building Ceramic Shells



06 Ceramic Shell Review



07 Wax Burnout



08 Pouring Molten Metal



09 Removing Ceramic Shells



10 Sandblasting & Surface Cleaning




11 CNC Machining




12 Finished Component Review






AISI316 STAINLESS STEEL BRUCE ANCHOR

Code	Amm	Bmm	Cmm	Dmm	Emm	Weight
XP01-01-001	280	102	180	146	113	1kg/2.2LB
XP01-01-002	350	130	220	185	145	2kg/4.4LB
XP01-01-002H	400	145	230	190	145	2.5kg/5.5LB
XP01-01-003	392	150	250	220	163	3kg/6.6LB
XP01-01-003H	445	180	250	205	163	3.5kg/7.7LB
XP01-01-005	470	165	310	270	195	5kg/11LB
XP01-01-007H	540	190	350	290	220	7.5kg/16.5LB
XP01-01-010	595	230	390	315	248	10kg/22LB
XP01-01-015	680	255	440	360	280	15kg/33LB
XP01-01-020	750	280	520	380	280	20kg/44LB
XP01-01-025	810	310	575	405	300	25kg/55LB
XP01-01-030	860	320	615	430	320	30kg/66LB
XP01-01-035	920	380	615	430	320	35kg/77LB
XP01-01-040	885	370	645	460	345	40kg/88LB
XP01-01-050	1050	375	690	510	378	50kg/110LB
XP01-01-080	1150	460	800	550	420	80kg/176LB



AISI316 STAINLESS STEEL PLOUGH ANCHOR

Code	Amm	Bmm	Cmm	Dmm	Emm	Weight
XP01-02-005	510	340	260	220	180	5kg/11LB
XP01-02-007	560	380	270	230	204	7kg/16LB
XP01-02-009	600	375	280	250	225	9kg/20LB
XP01-02-010	620	400	290	270	225	10kg/22LB
XP01-02-012	660	430	340	300	225	12kg/26LB
XP01-02-015	730	490	360	330	265	15kg/33LB
XP01-02-016	735	490	380	240	265	16kg/35LB
XP01-02-020	740	550	370	360	300	20kg/44LB
XP01-02-022	750	550	370	390	300	22kg/48LB
XP01-02-027	780	600	460	350	320	27kg/60LB
XP01-02-034	800	630	480	360	350	34kg/75LB
XP01-02-035	820	640	490	380	350	35kg/77LB
XP01-02-040	810	653	645	425	400	40kg/88LB
XP01-02-050	965	755	540	500	400	50kg/110LB




AISI316 STAINLESS STEEL GRAPNEL ANCHOR

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Weight
XP01-03-005	199	192	91	46.8	6.74	9.03	5kg/11LB
XP01-03-007	300	283	125	53.2	9.75	12.2	7kg/16LB
XP01-03-009	350	338	160	59	10	13.4	9kg/20LB
XP01-03-010	395	365	172	73.5	11.2	15.2	10kg/22LB
XP01-03-012	443	408	195	73.5	11.6	16.5	12kg/26LB
XP01-03-015	492	442	210	73.5	11.6	18	15kg/33LB
XP01-03-016	520	474	223	85.8	13.8	21.2	16kg/35LB
XP01-03-020	515	495	230	99.5	16	21.6	20kg/44LB
XP01-03-022	568	542	258	99.5	16.5	21.8	22kg/48LB
XP01-03-027	620	580	265	98	17.5	24	27kg/60LB
XP01-03-034	760	680	310	100	17.5	22.5	34kg/75LB


AISI316 STAINLESS STEEL SLIDE TROUGH TRIANGULAR ANCHOR

Code	Amm	Bmm	Cmm	Dmm Emm	Weight
XP01-04-005	550	245	252	192	5kg/11LB
XP01-04-006	537	252	261	215	6kg/13LB
XP01-04-007H	566	260	277	245	7.5kg/17LB
XP01-04-008	577	265	263	239	8kg/18LB
XP01-04-010	692	272	274	222	10kg/22LB
XP01-04-015	803	323	338	270	15kg/33LB
XP01-04-020	808	377	357	296	20kg/44LB
XP01-04-030	1018	407	472	364	30kg/66LB
XP01-04-040	1070	463	489	358	40kg/88LB
XP01-04-050	1175	489	517	428	50kg/110LB
XP01-04-060	1183	560	521	384	60kg/132LB
XP01-04-080	1290	547	627	453	80kg/176LB
XP01-04-100	1465	607	697	503	100kg/220LB




AISI316 STAINLESS STEEL DELTA ANCHOR


Code	Amm	Bmm	Cmm	Dmm	Weight
XP01-05-0032	435	183	200	141	3.2kg/7LB
XP01-05-004	488	213	221	162	4kg/9LB
XP01-05-005	550	245	252	192	5kg/11LB
XP01-05-006	537	252	261	215	6kg/13LB
XP01-05-0064	537	252	261	215	6.4kg/14LB
XP01-05-007H	566	260	277	245	7.5kg/17LB
XP01-05-008	577	265	263	239	8kg/18LB
XP01-05-010	692	272	274	222	10kg/22LB
XP01-05-015	803	323	338	270	15kg/33LB
XP01-05-020	808	377	357	296	20kg/44LB
XP01-05-030	1018	407	472	364	30kg/66LB
XP01-05-040	1070	463	489	358	40kg/88LB
XP01-05-050	1175	489	517	428	50kg/110LB
XP01-05-060	1183	560	521	384	60kg/132LB
XP01-05-080	1290	547	627	453	80kg/176LB
XP01-05-100	1465	607	697	503	100kg/220LB



AISI316 STAINLESS STEEL DANFORTH ANCHOR


Code	Amm	Bmm	Cmm	Weight
XP01-06-005	451	551	265	5kg/11LB
XP01-06-006	460	556	265	6kg/13LB
XP01-06-007H	475	631	332	7.5kg/17LB
XP01-06-010	500	708	357	10kg/22LB
XP01-06-012	570	835	385	12kg/26LB
XP01-06-015	590	865	415	15kg/33LB
XP01-06-020	655	847	457	20kg/44LB
XP01-06-030	740	982	566	30kg/66LB
XP01-06-040	810	1072	615	40kg/88LB
XP01-06-050	885	1150	625	50kg/110LB
XP01-06-070	1040	1348	793	70kg/154LB
XP01-06-100	1188	1495	890	100kg/220LB






AISI316 STAINLESS STEEL AMERICAN DANFORTH ANCHOR

Code	Amm	Bmm	Cmm	Dmm Emm	Weight
XP01-07-005	451	183	551	265	5kg/11LB
XP01-07-010	500	213	708	357	10kg/22LB
XP01-07-015	590	245	865	415	15kg/33LB
XP01-07-020	655	252	847	457	20kg/44LB




AISI316 STAINLESS STEEL POOL ANCHOR

Code	Amm	Bmm	Cmm	Dmm Emm	Weight
XP01-08-012	456	361	250	242	12kg/26.4LB
XP01-08-015	480	370	262	249	15kg/33LB
XP01-08-020	455	385	340	318	20kg/44LB
XP01-08-025	645	444	320	340	25kg/55LB
XP01-08-030	505	430	335	365	30kg/66LB
XP01-08-035	530	460	350	390	35kg/77LB
XP01-08-045	575	490	375	415	45kg/99LB
XP01-08-060	665	555	425	470	60kg/132LB
XP01-08-080	756	575	442	430	80kg/176LB
XP01-08-100	775	583	460	511	100kg/220LB
XP01-08-120	820	690	545	600	120kg/264LB
XP01-08-140	970	735	570	625	140kg/308LB
XP01-08-160	905	765	590	650	160kg/352LB




AISI316 STAINLESS STEEL FOUR-CLAW ANCHOR

Code	Amm	Bmm	Cmm	Dmm Emm	Weight
XP01-09-005	290	110	160	16	5kg/11LB
XP01-09-030	365	130	200	20	30kg/60LB



AISI316 STAINLESS STEEL FOLDABLE FOUR-POINT ANCHOR

Code	Amm	Bmm	Cmm	Dmm Emm	Weight
XP01-10-013L	254	254	210	265	5.9kg/13LB
XP01-10-019L	340	340	250	330	8.6kg/19LB
XP01-10-025L	355	355	260	330	11.3kg/25LB




AISI316 STAINLESS STEEL MANTUS ANCHOR


Code	Amm	Bmm	Cmm	Dmm Emm	Weight
XP01-11-0016	470	261	277	133	1.6kg/3.5LB
XP01-11-006	686	416	440	209	6kg/14LB
XP01-11-008	735	417	439	213	8kg/18LB
XP01-11-010	787	437	460	225	10kg/22LB
XP01-11-015	849	474	498	245	15kg/35LB
XP01-11-020	993	555	585	288	20kg/44LB
XP01-11-025	1073	599	630	311	25kg/55LB

AISI316 STAINLESS STEEL MANTUS ANCHOR


Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Weight
XP01-12-006							6kg/14LB
XP01-12-008							8kg/18LB
XP01-12-010	710	402	357	395	232	345	10kg/22LB
XP01-12-015							15kg/35LB
XP01-12-020							20kg/44LB


AISI316 STAINLESS STEEL SINGLE SPIRAL PIECE SAND ANCHOR


Code	Amm	Bmm	Cmm	Dmm	Size	Weight
XP01-13-018	450	256	47	75	18"	0.775kg
XP01-13-024	600	256	51	75	24"	1.63kg
XP01-13-036	900	256	51	75	36"	1.8 kg


AISI316 STAINLESS STEEL DOUBLE SPIRAL SHEET SAND ANCHOR


Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP01-14-018	450	256	190	60	70	18"	0.81kg
XP01-14-024	609	256	190	60	70	24"	1.7kg
XP01-14-036	900	256	200	60	70	36"	2kg


AISI316 STAINLESS STEEL TRIPLE SPIRAL SHEET SAND ANCHOR

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP01-15-036	900	256	350	60	70	36"	2.1kg


AISI316 STAINLESS STEEL GROUND ANCHOR

Code	Amm	Bmm	Cmm	Size	Weight
XP01-16-013H	205	355	47.5	13.5"	0.69kg



GALVANISED BRUCE ANCHOR



Code	Size	Weight
XP01-01G-001	2.2LB	1kg
XP01-01G-002	4.4LB	2kg
XP01-01G-002H	5.5LB	2.5kg
XP01-01G-003	6.6LB	3kg
XP01-01G-005	11LB	5kg
XP01-01G-007H	16.5LB	7.5kg
XP01-01G-010	22LB	10kg
XP01-01G-012	26LB	12kg
XP01-01G-015	33LB	15kg
XP01-01G-020	44LB	20kg
XP01-01G-025	55LB	25kg
XP01-01G-030	66LB	30kg
XP01-01G-050	110LB	50kg
XP01-01G-080	176LB	80kg
XP01-01G-100	220LB	100kg

GALVANISED PLOUGH ANCHOR



Code	Size	Weight
XP01-02G-005	11LB	5kg
XP01-02G-007	15LB	7kg
XP01-02G-009	20LB	9kg
XP01-02G-012	25LB	12kg
XP01-02G-015	33LB	15kg
XP01-02G-016	35LB	16kg
XP01-02G-020	44LB	20kg
XP01-02G-022	48LB	22kg
XP01-02G-024	53LB	24kg
XP01-02G-027	60LB	27kg
XP01-02G-035	77LB	35kg
XP01-02G-050	110LB	50kg

GALVANISED DELTA ANCHOR



Code	Size	Boat length	Weight
XP01-05G-004	8.8LB	15'-20'(4.5m-6m)	4kg
XP01-05G-005	11LB	15'-21'(4.5m-6.5m)	5kg
XP01-05G-006	14LB	15'-25'(4.5m-7.5m)	6kg
XP01-05G-007H	16.5LB	16'-30'(5m-9m)	7.5kg
XP01-05G-008	176LB	16'-30'(5m-9m)	8kg
XP01-05G-010	22LB	20'-35'(6m-10.5m)	10kg
XP01-05G-015	33LB	26'-43'(8m-13m)	15kg
XP01-05G-016	35LB	28'-45'(8.5m-13.5m)	16kg
XP01-05G-020	44LB	40'-55'(12m-16.5m)	20kg
XP01-05G-025	55LB	50'-60'(15m-18m)	25kg
XP01-05G-030	66LB	52'-62'(16m-19m)	30kg
XP01-05G-032	70LB	55'-65'(16.5m-19.5m)	32kg
XP01-05G-040	88LB	60'-72'(18m-22m)	40kg
XP01-05G-050	110LB	70'-82'(21m-25m)	50kg
XP01-05G-063	140LB	180-90'(24m-27.5m)	63kg

GALVANISED STACKING FIXED ANCHOR

Code	Size	Weight
XP01-10G-013L	13LB	5.9kg
XP01-10G-019L	19B	8.6kg
XP01-10G-025L	25LB	11.3kg



GALVANISED DANFORTH ANCHOR

Code	Size	Weight
XP01-05G-002	4.4LB	2kg
XP01-05G-004	9LB	4kg
XP01-05G-005	11LB	5kg
XP01-05G-006	14LB	6kg
XP01-05G-007	15LB	7kg
XP01-05G-008	17.6LB	8kg
XP01-05G-010	22LB	10kg
XP01-05G-020	44LB	20kg
XP01-05G-030	66LB	30kg



TYPE A GALVANISED FOLDING ANCHOR


Code	Size	Weight
XP01-03A-001H	3.5LB	1.5kg
XP01-03A-002H	5.5LB	2.5kg
XP01-03A-003H	7.5LB	3.5kg
XP01-03A-004	9LB	4kg
XP01-03A-006	13LB	6kg
XP01-03A-008	18LB	8kg



TYPE B GALVANISED FOLDING ANCHOR


Code	Size	Weight
XP01-03B-0007	1.5LB	0.7kg
XP01-03B-0014	3LB	1.4kg
XP01-03B-0023	5LB	2.3kg
XP01-03B-003H	7.7LB	3.5kg
XP01-03B-005H	12LB	5.5kg
XP01-03B-007H	16.5LB	7.5kg
XP01-03B-0010	22LB	10kg
XP01-03B-0012	16.4LB	12kg
XP01-03B-00715	33LB	15kg






AISI316 STAINLESS STEEL HOLLOW BASE CLEAT

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP02-01-004	101	36	23	49.8	φ5.2	4"	0.06kg
XP02-01-005	127	39	25	54.3	φ5.2	5"	0.08kg
XP02-01-006	149	44	26	55.73	φ6.4	6"	0.15kg
XP02-01-008	199	52	32	71.95	φ6.46	8"	0.23kg
XP02-01-010	248	64	45	93.66	φ8.3	10"	0.40kg
XP02-01-012	302	70	50	97.2	φ8.2	12"	0.60kg
XP02-01-015	370	80	60	129.27	φ8.35	15"	0.85kg




AISI316 STAINLESS STEEL HEAVY HOLLOW BASE CLEAT

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP02-02-004	101	36	23	49.8	φ5.2	4"	0.06kg
XP02-02-005	127	39	25	54.3	φ5.2	5"	0.08kg
XP02-02-006	149	44	26	55.73	φ6.4	6"	0.15kg
XP02-02-008	199	52	32	71.95	φ6.46	8"	0.23kg
XP02-02-010	248	64	45	93.66	φ8.3	10"	0.40kg
XP02-02-012	302	70	50	97.2	φ8.2	12"	0.60kg




AISI316 STAINLESS STEEL EXTRA HEAVY SOLID BASE CLEAT

Code	Amm	Bmm	Cmm	Size	Weight
XP02-03-006	151	42	28	6"	0.20kg
XP02-03-008	202	59.4	37	8"	0.52kg
XP02-03-010	256	71	47	10"	0.97kg
XP02-03-012	305	89	63	12"	1.95kg



AISI316 STAINLESS STEEL SILHOUETTE CLEAT

Code	Amm	Bmm	Cmm	Size	Weight
XP02-04-004	100	37	23	4"	0.09kg
XP02-04-005	125	47.2	30	5"	0.12kg
XP02-04-006	150	59	44	6"	0.21kg
XP02-04-008	200	59	42	8"	0.37kg
XP02-04-010	246	64	46	10"	0.54kg
XP02-04-012	300	74	48	12"	1.02kg




AISI316 STAINLESS STEEL MAST CLEAT

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP02-05-004	100	15	23	16	9	M4	4"	0.083kg
XP02-05-005	125	18	28	18	9	M5	5"	0.12kg
XP02-05-006	152	22	34	21	10	M5	6"	0.16kg
XP02-05-008	200	24.5	40	24	14	M8	8"	0.32kg
XP02-05-010	251	28	40	28	17	M10	10"	0.42kg


AISI316 STAINLESS STEEL HEAVY DUTY INTEGRATED CLEAT

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Hmm	Imm	Size	Weight
XP02-06-010	240	53	40	29	40	80	120	80	120	10"	1.085kg




AISI316 STAINLESS STEEL HUMPBACKED CLEAT

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP02-07-006	150	35	18	45	M8	6"	0.17kg
XP02-07-008	204	87	25	50	M8	8"	0.34kg
XP02-07-010	255	107	30	50	M10	10"	0.62kg




AISI316 STAINLESS STEEL CAMEL STUD MOUNTED HUMPBACKED CLEAT

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP02-08-006	150	44	19	47	47	6"	0.18kg
XP02-08-008	196	59	25	47	47	8"	0.38kg
XP02-08-010	245	74	36	47	47	10"	0.76kg




AISI316 STAINLESS STEEL HEAVY HUMPBACKED CLEAT


Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP02-09-008	205	48	31	85.5	M12	8"	0.54kg
XP02-09-010	252	53.4	40	93.5	M12	10"	0.90kg
XP02-09-012	304	60	44	114	M14	12"	1.62kg
XP02-09-015	380	73.7	53.5	139	M16	15"	2.49kg




AISI316 STAINLESS STEEL HEAVY STUD MOUNTED HUMPBACKED CLEAT

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP02-10-008	205	96.8	85.5	108.6	M12	8"	0.60kg
XP02-10-010	252	105.8	93.5	126.5	M12	10"	0.98kg
XP02-10-012	304	127	114	152	M14	12"	1.75kg
XP02-10-015	380	158.2	139	185.7	M16	15"	2.70kg





AISI316 STAINLESS STEEL HEAVY FLAT CLEAT


Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP02-11-007	180	31	25	60	M10	7"	0.20kg
XP02-11-095	240	39	32	80	M12	9.5"	0.50kg
XP02-11-012	300	59	51	99	M14	12"	0.98kg
XP02-11-014	350	69	59	116	M16	14"	1.57kg


AISI316 STAINLESS STEEL STUD MOUNTED FLAT CLEAT


Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP02-12-007	180	60	25	52	M10	7"	0.25kg
XP02-12-010	240	80	32	53	M12	10"	0.58kg
XP02-12-012	300	99	51	73	M14	12"	1.01kg
XP02-12-014	350	116	59	82	M16	14"	1.78kg


AISI316 STAINLESS STEEL HEAVY RETRACTABLE CLEAT

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP02-13-005	125	19	25	21	45	5"	0.56kg
XP02-13-006	158	23	30	21	59	6"	0.67kg


AISI316 STAINLESS STEEL LIGHT RETRACTABLE CLEAT


Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP02-14-005	125	35	25	21	45	5"	0.56kg
XP02-14-006	158	35	30	21	59	6"	0.69kg


AISI316 STAINLESS STEEL HEAVY RETRACTABLE CLEAT WITH RUBBER SLEEVE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP02-15-005	125	23	25	21	19	45	5"	0.58kg
XP02-15-006	158	23	30	21	19	59	6"	0.71kg


AISI316 STAINLESS STEEL FOLDING CLEAT

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Size	Weight
XP02-16-005	127	43	71	40	18	M4	M6	5"	0.22kg
XP02-16-006	155	53	83	49	20	M5	M8	6"	0.43kg
XP02-16-008	218	74	120	71	27	M5	M8	8"	1.06kg




AISI316 STAINLESS STEEL FOLDING CLEAT

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Size	Weight
XP02-17-005	127	43	71	40	18	M4	46	5"	0.25kg
XP02-17-006	155	53	83	49	20	M5	46	6"	0.50kg
XP02-17-008	218	74	120	71	27	M5	46	8"	1.13kg




AISI316 STAINLESS STEEL PUSH PULL FLUSH CLEAT

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP02-18-005	125	98	45	52	12	M6	5"	0.33kg
XP02-18-006	154	126	58	61	18	M8	6"	0.50kg
XP02-18-008	210	156	77	81.4	25	M10	8"	1.073kg
XP02-18-0010	262	192	92.5	102.4	33.6	M12	10"	2.125kg
XP02-18-012	300	220	112.3	101.5	32	M12	12"	3.72kg




AISI316 STAINLESS STEEL PUSH PULL FLUSH CLEAT WITH PLATE


Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP02-19-005	125	98	45	M6	12	10	5"	0.365kg
XP02-19-006	154	126	58	M8	18	20	6"	0.56kg
XP02-19-008	210	156	77	M10	25	25	8"	1.13kg
XP02-19-010	262	192	92.5	M12	34	34	10"	2.32kg
XP02-19-012	300	220	112.3	M12	39	39	12"	3.965kg



AISI316 STAINLESS STEEL FLIP UP CLEAT


Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP02-20-045	118	33	47	17.8	67	M6	4.5"	0.22kg
XP02-20-006	152	43	61	23.6	87	M8	6"	0.44kg






AISI316 STAINLESS STEEL K STYLE CLEAT

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP02-21-08A	213	45.5	38	M8	45	8"	0.58kg
XP02-21-08B	213	43	34	M8	47	8"	0.76kg




AISI316 STAINLESS STEEL LIFT RING CLEAT

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Size	Weight
XP02-22-006	150	70	50	16	5	21	25.6	6"	0.39kg



AISI316 STAINLESS STEEL FLIP UP CLEAT

Code	Amm	Bmm	Cmm	Dmm	Size	Weight
XP02-23-006	158	35.5	21.7	15	6"	0.26kg
XP02-23-008	208	50	25	19	8"	0.54kg




AISI316 STAINLESS STEEL K STYLE CLEAT

Code	Amm	Bmm	Cmm	Dmm	Size	Weight
XP02-24-035	88.8	66	51	22	3.5"	0.25kg


AISI316 STAINLESS STEEL RUBBER WATER PLUG

Code	Amm	Bmm	Cmm	Size	Weight
XP03-01-01	35	32	17-20	3/4"	0.09kg
XP03-01-02	35	32	23-26	1"	0.12kg
XP03-01-03	35	32	30-33	1-1/4"	0.21kg




AISI316 STAINLESS STEEL SQUARE HEAD DRAIN PLUG

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP03-02-01	60.8	13.8	24.5	18.2	4.7	14.5	60mm	0.14kg
XP03-02-02	50	13.4	24	18.6	4.7	28	50mm	0.11kg




AISI316 STAINLESS STEEL DIAMOND SQUARE HEAD DRAIN PLUG

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Size	Weight
XP03-03-01	50.8	68.3	40.8	33	30.3	19.8	M6	30mm	0.15kg




AISI316 STAINLESS STEEL DRAIN PLUG


Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Size	Weight
XP03-04-01	51.1	38	54	25.4	15.6	24.15	5.2	25mm	0.095kg




AISI316 STAINLESS STEEL BULLET END PLUG

Code	Amm	Bmm	Cmm	Size	Weight
XP03-05-01	38.5	22	19.9	7/8"	0.04kg
XP03-05-02	40	25	22.8	1"	0.06kg
XP03-05-02	42.6	30	27.6	1-1/5"	0.08kg





AISI316 STAINLESS STEEL HOLLOW BASE CLEAT


Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP04-01-01	61	36	18.5	8.5	φ6.2	41.5	90deg	0.08kg


AISI316 STAINLESS STEEL DIAMOND SQUARE HEAD DRAIN PLUG


Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP04-01-01P	61	36.5	18.5	8.5	φ6.2	41.5	90deg	0.088kg


AISI316 STAINLESS STEEL PIN WITH RING DECK HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP04-01-01PR	61	36.5	18.5	8.5	φ6.2	41.5	90deg	0.092kg


AISI316 STAINLESS STEEL ARC-SHAPED DECK HINGE


Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP04-02-01	61	36	17.2	7.8	M6	36	7/8"	0.07kg
XP04-02-02	57	36.1	14.6	7.2	M6	35.4	1"	0.08kg


AISI316 STAINLESS STEEL ARC-SHAPED DECK HINGE WITH REMOVABLE PINS


Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP04-02-01P	61	36	17.2	7.8	φ6	41	7/8"	0.078kg
XP04-02-02P	57	36.1	14.6	7.2	φ6	41	1"	0.077kg

AISI316 STAINLESS STEEL 60DEGANGLD BASE DECK HINGE


Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP04-03-01	55.6	34	18.7	7.9	M6	40.5	90deg	0.075kg


AISI316 STAINLESS STEEL 60DEGANGLD BASE DECK HINGE WITH REMOVABLE PINS


Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP04-03-01P	56	34	18.7	7.9	φ5.8	40.5	60deg	0.08kg


AISI316 STAINLESS STEEL 60DEGWITH RING SLANT HILL TYPE DECK HINGE


Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP04-03-01PR	56	34	18.7	7.9	φ6	40.5	60deg	0.082kg



AISI316 STAINLESS STEEL HEAVY DUTY DECK HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP04-04-01	52	29.5	25.3	10.2	7.5	29.5	90deg	0.1kg



AISI316 STAINLESS STEEL SWIVEL DECK HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP04-05-01	70	45.4	14	7.6	φ6.2	51	60deg-120deg	0.153kg





AISI316 STAINLESS STEEL QUICK RELEASE SWIVEL DECK HINGE


Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP04-05-01P	70	45.4	14	7.6	φ6.2	51	60deg-120deg	0.161kg


AISI316 STAINLESS STEEL QUICK RELEASE SWIVEL DECK HINGE


Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP04-05-01PR	70	45.4	14	7.6	φ6.2	51	60deg-120deg	0.163kg


AISI316 STAINLESS STEEL ANTI-SLIP DECK HINGE SWIVEL

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP04-06-01	70	49	14	7.42	M6	51	60deg-120deg	0.16kg


AISI316 STAINLESS STEEL ANTI-SLIP QUICK RELEASE SWIVEL DECK HINGE


Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP04-06-01P	70	49	14	7.42	M6	51	60deg-120deg	0.17kg


AISI316 STAINLESS STEEL DECK HINGE


Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP04-07-01	88.9	53.6	24.6	8.5	M6	63.9	360deg	0.17kg

AISI316 STAINLESS STEEL DECK HINGE ADJUSTABLE SWIVEL


Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Weight
XP04-08-01	81	33	7.5	63.5	31.4	5.4	0.129kg
XP04-08-02	90	36.5	6.5	63.5	29.5	5.3	0.14kg
XP04-08-03	92	33.7	7.5	63.5	31.3	5.3	0.15kg


AISI316 STAINLESS STEEL DECK HINGE ADJUSTABLE SWIVEL WITH SQUARE ROPE HOLES


Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Weight
XP04-09-01	81	31.5	25.5	5	63.5	31.4	5.4	0.138kg
XP04-09-02	90	33.5	25.5	6	63.5	29.5	5.3	0.15kg
XP04-09-03	92	31.5	25.5	5	63.5	31.3	5.3	0.157kg


AISI316 STAINLESS STEEL DECK HINGE ADJUSTABLE SWIVEL WITH ROUND ROPE HOLES


Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Weight
XP04-10-01	81	31.5	25.5	10	63.5	31.4	5.4	0.124kg
XP04-10-02	90	33.5	25.5	10	63.5	29.5	5.3	0.147kg
XP04-10-03	92	31.5	25.5	10	63.5	31.3	5.3	0.155kg



AISI316 STAINLESS STEEL DECK HINGE ADJUSTABLE SWIVEL WITH ROUND ROPE HOLES

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Size	Weight
XP04-11-01	81	32.1	7.5	40	63.5	31.4	5.4	360deg	0.136kg
XP04-11-02	90	32.8	7.5	40	63.5	31.3	5.2	360deg	0.16kg


AISI316 STAINLESS STEEL DECK HINGE PYRAMID TYPE


Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP04-12-01	49.6	22.1	31	M6	36.2	16.92	50	0.06kg





AISI316 STAINLESS STEEL SIT BUCKLE

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP04-13-01	73.6	5	31	23.6	2.57	74	0.16kg




AISI316 STAINLESS STEEL EXTRA HEAVY SOLID BASE CLEAT

Code	Amm	Bmm	Cmm	Size	Weight
XP04-14-01	151	42	28	6"	0.20kg


AISI316 STAINLESS STEEL CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP05-01-3838	38	28	3.7	8	24	24	38*38	0.04kg
XP05-01-4040	40	40	3.7	8	25	25	40*40	0.048kg
XP05-01-5050	50	50	4.5	10	34.5	34.5	50*50	0.092kg




AISI316 STAINLESS STEEL CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP05-02-6060	60	60	5	13.4	32.9	41.1	60*60	0.144kg
XP05-02-7575	75	75	6	16.8	41.1	51.4	75*75	0.28kg




AISI316 STAINLESS STEEL CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Size	Weight
XP05-03-7638	76	38	4.5	9.4	21	61.5	25.5	76*38	0.1kg




AISI316 STAINLESS STEEL NON-HOLE WELDED CASTING HINGE


Code	Amm	Bmm	Cmm	Dmm	Size	Weight
XP05-04-7638	76	38	4	13.3	76*38	0.079kg



AISI316 STAINLESS STEEL CASTING HINGE


Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Size	Weight
XP05-05-5738	57	38	4.5	9	19	42	25	57*38	0.08kg
XP05-05-7638	76	38	3	9.1	20	57	27	76*38	0.092kg





AISI316 STAINLESS STEEL CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Size	Weight
XP05-06-10238	102	38	4	9.5	21	88	27	102*38	0.13kg



AISI316 STAINLESS STEEL CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP05-07-10738H	107	38	3.5	9	21	89	107*38	0.11kg
XP05-07-10738L	107	38	2.5	7	20	93	107*38	0.073kg




AISI316 STAINLESS STEEL CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP05-08-9623	96	23	5	9.7	82	31	96*23	0.065kg
XP05-08-10226	102	26	4.5	9	84	33	102*26	0.075kg



AISI316 STAINLESS STEEL CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Size	Weight
XP05-09-16027	160	27	5	9.5	142	85	30	160*27	0.11kg
XP05-09-15230	153	30	4	9	120	74.5	33.8	152*30	0.12kg




AISI316 STAINLESS STEEL CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP05-10-1010	100	100	6	15.7	30	60	100*100	0.44kg


AISI316 STAINLESS STEEL CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Size	Weight
XP05-11-7640	76	40	4	6.7	24	55.5	39.5	76*40	0.08kg




AISI316 STAINLESS STEEL REVERSED CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Size	Weight
XP05-12-7640	76	40	4	6.7	24	55.5	39.5	76*40	0.09kg




AISI316 STAINLESS STEEL CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP05-13-6464	64	3.5	7.7	25	39	64*64	0.1kg




AISI316 STAINLESS STEEL REVERSE ROUND CASTING HINGE


Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP05-14-6464	64	4	7.7	25	39	64*64	0.1kg



AISI316 STAINLESS STEEL CASTING HINGE


Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Size	Weight
XP05-15-12640	126	40	3.5	6.3	19.5	85.4	50.5	126*40	0.12kg
XP05-15-14665	146	65	4.5	8	34	88	51.5	146*65	0.28kg






AISI316 STAINLESS STEEL CASTING HINGE

Code	Amm	Bmm	Cmm	Size	Weight
XP05-16-7638	76	38	3.2	76*38	0.062kg




AISI316 STAINLESS STEEL CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Size	Weight
XP05-17-8040	80	40	38	23	80*40	0.08kg




AISI316 STAINLESS STEEL HINGE WITH WIRE ROD

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Size	Weight
XP05-18-12640	126	40	3.5	40.64	34	85.4	50.5	126*40	0.18kg
XP05-18-14665	146	65	4.5	43	19.5	88	51.5	146*65	0.28kg



AISI316 STAINLESS STEEL HINGE WITH WIRE ROD

Code	Amm	Bmm	Cmm	Dmm	Size	Weight
XP05-19-17040	170	40	3.9	21	170*40	0.18kg
XP05-19-19065	190	65	3.9	35	190*65	0.355kg
XP05-19-22565	225	65	3.9	37	225*65	0.415kg




AISI316 STAINLESS STEEL HINGE WITH WIRE ROD

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Size	Weight
XP05-20-17040	170	40	3.9	40	21	134	63	170*40	0.255kg
XP05-20-19565	190	65	3.9	40	35	127	55	195*65	0.42kg
XP05-20-22565	225	65	3.9	40	37	178	116	225*65	0.50kg


AISI316 STAINLESS STEEL CASTING HINGE WITH SCREWS

Code	Amm	Bmm	Cmm	Size	Weight
XP05-21-7040	70	40	39	70*40	0.11kg




AISI316 STAINLESS STEEL WITH WIRE ROD ASYMMETRIC HINGE

Code	Amm	Amm	Bmm	Cmm	Size	Weight
XP01-03-005	76	126	65	39	126*65	0.295kg




AISI316 STAINLESS STEEL NOISE-PROOF HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP05-22-5040	50	40	32	20	5	50*40	0.076kg




AISI316 STAINLESS STEEL NOISE-PROOF HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP05-22-6540	65	40	5	33	20	65*40	0.089kg



AISI316 STAINLESS STEEL NOISE-PROOF HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP05-23-8040	80	40	20	10	5	80*40	0.11kg





AISI316 STAINLESS STEEL NOISE-PROOF HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP05-25-8540	85	40	33	20	5	85*40	0.117kg




AISI316 STAINLESS STEEL NOISE-PROOF HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP05-26-10040	100	40	13	33	5	100*40	0.13kg




AISI316 STAINLESS STEEL NOISE-PROOF HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP05-27-12040	120	40	5	33	20	120*40	0.154kg



AISI316 STAINLESS STEEL CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP05-28-6552	52	65	4	8	34.5	28.9	65*52	0.1kg




AISI316 STAINLESS STEEL CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP05-29-7040	70	40	3.6	6	22	22	70*40	0.068kg
XP05-29-8365	83	65	3.8	8	35	35	83*65	0.148kg


AISI316 STAINLESS STEEL REVERSED CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP05-30-7040	70	40	3.6	6	22	22	70*40	0.068kg




AISI316 STAINLESS STEEL CASTING HATCH HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP05-31-7066	70	66	30	51.5	24	70*66	0.22kg




AISI316 STAINLESS STEEL CASTING HATCH HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Hmm	Size	Weight
XP05-32-7655	76	55	6.3	32	60	38	35	16	76*55	0.28kg



AISI316 STAINLESS STEEL CASTING HATCH HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Hmm	Size	Weight
XP05-33-7666	76	55	6.3	32	60	38	47.5	28	76*66	0.30kg



AISI316 STAINLESS STEEL DETACHABLE HINGE LEFT


Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Size	Weight
XP05-34-9038	90	50	5	18.3	24.3	76.5	41.5	90*38	0.18kg






AISI316 STAINLESS STEEL DETACHABLE HINGE RIGHT

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Size	Weight
XP05-35-9038	90	50	5	18.3	24.3	76.5	41.5	90*38	0.18kg




AISI316 STAINLESS STEEL CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP05-36-6542	65	42	4	7.5	34.5	25.5	65*42	0.083kg




AISI316 STAINLESS STEEL CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP05-37-7642	76	42	2.5	8	30.5	28	76*42	0.075kg
XP05-37-10075	100	75	3.5	11.5	30.5	44	100*75	0.22kg



AISI316 STAINLESS STEEL CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP05-38-7550	75	50	5	11	28	30	75*50	0.155kg



AISI316 STAINLESS STEEL HINGE WITH WIRE ROD

Code	Amm	Bmm	Cmm	Dmm	D1mm	Size	Weight
XP05-39-7550	50	75	30.65	28	28	75*50	0.155kg


AISI316 STAINLESS STEEL T-SHAPED HINGE

Code	Amm	Bmm	Cmm	Dmm	Size	Weight
XP05-40-10054	100	54	4.8	21	100*54	0.09kg
XP05-40-15072	150	72	4.5	40	150*72	0.15kg
XP05-40-19697	196	97	5.8	79	196*97	0.325kg




AISI316 STAINLESS STEEL CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP05-41-8070	70	80	50.35	30	30	80*70	0.413kg




AISI316 STAINLESS STEEL CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Size	Weight
XP05-42-11378	113	78	95.5	55.4	30	30	30	113*78	0.437kg




AISI316 STAINLESS STEEL CASTING HINGE


Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Size	Weight
XP05-43-7676	76	76	60	48	24	34	3	76*76	0.142kg



AISI316 STAINLESS STEEL CASTING HINGE


Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP05-44-18981	189	81	56.5	66	33	189*81	0.378kg





AISI316 STAINLESS STEEL BENT PLATE CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP05-45-5437	54	37	21	18	14	4	54*37	0.066kg
XP05-45-7037	70	37	21	32	14	4	70*37	0.096kg



AISI316 STAINLESS STEEL BENT PLATE CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP05-46-5838	58	38	15	3.5	5.1	90deg	58*38	0.06kg



AISI316 STAINLESS STEEL DOUBLE ROUND HEAD CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP05-47-11038	110	38	39.38	35	19	3.2	110*38	0.083kg



AISI316 STAINLESS STEEL LONG CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP05-48-17018	170	145	18	38	69	5	170*18	0.12kg




AISI316 STAINLESS STEEL LONG CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP05-49-14038	140	38	110	40.5	34	19	140*38	0.11kg

AISI316 STAINLESS STEEL LONG CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Size	Weight
XP05-50-14838	148	39	122	20	4407	39	2.7	148*39	0.086kg




AISI316 STAINLESS STEEL LONG CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP05-51-38X3	200	170	38	100	3	200*38*3	0.177kg
XP05-51-38X5	200	170	38	100	5	200*38*5	0.256kg




AISI316 STAINLESS STEEL SQUARE HOLE CASTING HIGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Hmm	Size	Weight
XP05-52-9060	89	74	59	44	20	20	7	4	90*60	0.216




AISI316 STAINLESS STEEL SQUARE HOLE CASTING HIGE


Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP05-53-8060	60	31	80	50	4.2	80*60	0.205kg



AISI316 STAINLESS STEEL ENGINEERING CASTING HINGE


Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Size	Weight
XP05-54-15060	150	60	39	44	47	29	6	150*60	0.43kg






AISI316 STAINLESS STEEL CASTING HIGEN

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP05-55-7265	72	65	35	38	4	72*65	0.14kg




AISI316 STAINLESS STEEL REVERSE CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP05-56-7265	72	65	35	38	4	72*65	0.14kg




AISI316 STAINLESS STEEL DOUBLE CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP05-57-6550	52	65	35	29.5	4	65*50	0.105kg



AISI316 STAINLESS STEEL DOUBLE ROUND HEAD CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size	Weight
XP05-58-6630	35	66	30	19.5	54	10	66*30	0.036kg




AISI316 STAINLESS STEEL CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP05-59-7138	22.2	71	38	58.3	38.5	71*38	0.058kg
XP05-59-7041	27	70	41	55.6	38.1	70*41	0.04kg

AISI316 STAINLESS STEEL CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP05-60-7041	27	70	41	55.6	38.1	70*41	0.04kg



AISI316 STAINLESS STEEL CASTING HINGE

Code	Length	Width	Size	Weight
XP05-61-13040	130mm	40mm	130*40	0.07kg




AISI316 STAINLESS STEEL CASTING HINGE

Code	Length	Width	Size	Weight
XP05-62-5738	57mm	38mm	57*38	0.048kg



AISI316 STAINLESS STEEL CASTING HINGE

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Size	Weight
XP05-63-7638	76	38	2	9.4	21	61.5	25.5	76*38	0.048kg
XP05-63-7638B	76	38	2	9.4	21	61.5	25.5	76*38	0.048kg



AISI316 STAINLESS STEEL CASTING HINGE

Code	Length	Width	Size	Weight
XP05-64-3635	36mm	35mm	36*35	0.04kg





AISI316 STAINLESS STEEL CASTING HINGE

Code	Length	Width	Size	Weight
XP05-65-7538	75mm	38mm	75*38	0.049kg



AISI316 STAINLESS STEEL CASTING HINGE

Code	Length	Width	Size	Weight
XP05-66-7570	75mm	70mm	75*70	0.08kg



AISI316 STAINLESS STEEL CASTING HINGE

Code	Length	Width	Size	Weight
XP05-67-7052	70mm	52mm	70*52	0.075kg



AISI316 STAINLESS STEEL CASTING HINGE

Code	Length	Width	Size	Weight
XP05-68-15276	152mm	76mm	152*76	0.12kg



AISI316 STAINLESS STEEL CASTING HINGE

Code	Length	Width	Size	Weight
XP05-69-12636	126mm	36mm	126*36	0.095kg

AISI316 STAINLESS STEEL CASTING HINGE

Code	Length	Width	Size	Weight
XP05-70-8736	87mm	36mm	87*36	0.052kg



AISI316 STAINLESS STEEL CASTING HINGE

Code	Length	Width	Size	Weight
XP05-71-6074	74mm	60mm	60*74	0.073kg



AISI316 STAINLESS STEEL CASTING HINGE

Code	Length	Width	Size	Weight
XP05-72-10040	100mm	40mm	100*40	0.061kg



AISI316 STAINLESS STEEL CASTING HINGE

Code	Length	Width	Size	Weight
XP05-73-3736	37mm	36mm	37*36	0.05kg



AISI316 STAINLESS STEEL CASTING HINGE


Code	Length	Width	Size	Weight
XP05-74-7570	75mm	70mm	75*70	0.075kg





AIS316 STAINLESS STEEL CASTING HINGE

Code	Length	Width	Size	Weight
XP05-75-7637	76mm	37mm	76*37	0.049kg



AIS316 STAINLESS STEEL CASTING HINGE

Code	Length	Width	Size	Weight
XP05-76-5737	57mm	37mm	57*37	0.047kg



AIS316 STAINLESS STEEL CASTING HINGE

Code	Length	Width	Size	Weight
XP05-77-10838	108mm	38mm	108*38	0.06kg



AIS316 STAINLESS STEEL CASTING HINGE

Code	Length	Width	Size	Weight
XP05-78-17838	178mm	38mm	178*38	0.086kg



AIS316 STAINLESS STEEL CASTING HINGE

Code	Length	Width	Size	Weight
XP05-79-14338A	143mm	38mm	143*38	0.076kg
XP05-79-14338B	143mm	38mm	143*38	0.076kg

AISI316 STAINLESS STEEL CASTING HINGE

Code	Length	Width	Size	Weight
XP05-80-4730	47mm	30mm	47*30	0.043kg



AISI316 STAINLESS STEEL CASTING HINGE

Code	Length	Width	Size	Weight
XP05-81-6040	60mm	40mm	60*40	0.045kg



AISI316 STAINLESS STEEL CASTING HINGE

Code	Length	Width	Size	Weight
XP05-82-3735	37mm	35mm	37*35	0.03kg



AISI316 STAINLESS STEEL CASTING HINGE


Code	Length	Width	Size	Weight
XP05-83-7438	74mm	38mm	74*38	0.046kg



AISI316 STAINLESS STEEL CASTING HINGE


Code	Length	Width	Size	Weight
XP05-84-6738	67mm	38mm	67*38	0.045kg






STAINLESS STEEL CUP HOLDER

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP06-01-01	108	91	100	22	15	91mm	0.115kg




AISI304 STAINLESS STEEL CUP HOLDER WITH LIGHT

Code	Amm	Bmm	Cmm	Dmm	Emm	Color Size	Weight
XP06-02-01G	110	91.5	83.9	54.9	72.5	GREEN 3-1/4"	0.2kg
XP06-02-01R	110	91.5	83.9	54.9	72.5	RED 3-1/4"	0.2kg
XP06-02-01W	110	91.5	83.9	54.9	72.5	WHITE 3-1/4"	0.2kg
XP06-02-01B	110	91.5	83.9	54.9	72.5	BLUE 3-1/4"	0.2kg
XP06-02-01P	110	91.5	83.9	54.9	72.5	PURPLE 3-1/4"	0.2kg
XP06-02-01Y	110	91.5	83.9	54.9	72.5	YELLOW 3-1/4"	0.2kg
XP06-02-01DB	110	91.5	83.9	54.9	72.5	DARK BLUE 3-1/4"	0.2kg



AISI304 STAINLESS STEEL TUBE CLAMP CUP HOLDER

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP06-03-01	55-75	101.2	96.4	25.6	19.5	1"	0.55kg
XP06-03-02	55-75	114.6	113.3	32.6	19.5	1-1/4"	0.6kg



STAINLESS STEEL CUP HOLDER

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP06-04-01	100	102	97	52-80	102*97		0.35kg
XP06-04-02	118	119	110	66-95	119*110		0.46kg




UPGRADED 316 STAINLESS STEEL FOLDING CUP HOLDER

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Size	Weight
XP06-05-01	45-101	111	101	102	50	16	5.1	45-101	0.3kg


STEEL PLATE SINGLE CUP HOLDER

Code	Amm	Bmm	Cmm	Dmm	Size	Weight
XP06-06-01	95.4	74.5	89	74	74mm	0.24kg




AISI304/316STAINLESS STEEL FIXED CUP HOLDER

Code	Amm Bmm Size	Weight
XP06-07-01	86.7 77 82mm	0.14kg




AISI316 STAINLESS STEEL FIXED CUP HOLDER


Code	Amm	Bmm	Cmm	Size	Weight
XP06-08-01	76	93.6	114.3	3"	0.33kg



AISI316 STAINLESS STEEL FIXED CUP HOLDER


Code	Amm	Bmm	Cmm	Dmm	Size	Weight
XP06-09-01	88.5	70.3	75.5	103	0.478	0.43kg





AISI316 STAINLESS STEEL RETRACTABLE CUP HOLDER

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP06-10-01	155	86	79	69	4	155*86	0.26kg




AISI316 STAINLESS STEEL RETRACTABLE CUP HOLDER

Code	Amm	Bmm	Cmm	Dmm	Size	Weight
XP06-11-01	110	100	70	92	1	0.266kg
XP06-11-02	210	210	70	92	2	0.352kg
XP06-11-03	315	110	70	90	3	0.459kg


AISI304/316 STAINLESS STEEL FOLDING LADDER

Code	Amm	Bmm	Cmm	Size	Weight
XP07-01-01	1271.79	850.5	354	3	7.4kg
XP07-01-02	1579	1147	354	4	8.4kg




AISI304/316 STAINLESS STEEL LADDER

Code	Amm	Bmm	Cmm	Size	Weight
XP07-02-01	1678	1187	381	4	9.2kg




AISI304/316 STAINLESS STEEL FOLDING LADDER

Code	Amm	Bmm	Cmm	Size	Weight
XP07-03-01	868	408	254	3	4.5kg
XP07-03-02	1160	408	254	4	5.5kg




AISI304/316 STAINLESS STEEL FOLDING LADDER


Code	Amm	Bmm	Size	Weight
XP07-04-01	587	254	2	1.9kg
XP07-04-01	879	254	3	2.6kg
XP07-04-01	1110	254	4	3.78kg



AISI304/316 STAINLESS STEEL TELESCOPIC LADDER WITH TRANSOM


Code	Amm	Bmm	Size	Weight
XP07-05-01	597	254	2	2.2kg
XP07-05-02	889	254	3	3.1kg
XP07-05-03	1158	254	4	4.4kg





AISI304/316 STAINLESS STEEL FOLDING LADDER

Code	Amm	Bmm	Size	Weight
XP07-06-01	597	254	2	2.1kg
XP07-06-02	889	254	3	2.9kg
XP07-06-03	1158	254	4	4.2kg




AISI304/316 STAINLESS STEEL TELESCOPIC LADDER WITH RAILS

Code	Amm	Bmm	Size	Weight
XP07-07-01	597	254	2	2.4kg
XP07-07-02	889	254	3	3.3kg
XP07-07-03	1158	254	4	4.6kg




AISI304/316 STAINLESS STEEL FOLDING LADDER

Code	Amm	Bmm	Size	Weight
XP07-08-01	889	254	3	5.3kg
XP07-08-02	1158	254	4	6.2kg



AISI304/316 STAINLESS STEEL FOLDING LADDER

Code	Amm	Bmm	Size	Weight
XP07-09-01	349.5	254	2	2.2kg
XP07-09-02	373	254	3	3.1kg
XP07-09-03	396.8	254	4	4.4kg




AISI304/316 STAINLESS STEEL FOLDING LADDER

Code	Amm	Bmm	Size	Weight
XP07-10-01	432.8	295	3	6.6kg
XP07-10-02	495	295	4	7.8kg


AISI304/316 STAINLESS STEEL FOLDING LADDER

Code	Amm	Bmm	Size	Weight
XP07-11-01	373	254	3	6.6kg




AISI304/316 STAINLESS STEEL FOLDING LADDER

Code	Amm	Bmm	Cmm	Size	Weight
XP07-12-01	883	354	395	3	6.6kg




AISI304/316 STAINLESS STEEL BOX LADDER

Code	Amm	Bmm	Cmm	Size	Weight
XP07-13-01	1234	332.45	254	3	6.8kg
XP07-13-02	1577	332.45	254	4	7.9kg




AISI304/316 STAINLESS STEEL FOLDING LADDER


Code	Amm	Bmm	Cmm	Size	Weight
XP07-14-01	1120	520	355.75	4	5.9kg




AISI304/316 STAINLESS STEEL BOX LADDER

Code	Amm	Bmm	Cmm	Size	Weight
XP07-14-01	880	337	453.2	3	7.4kg
XP07-14-02	1143	337	493	4	8.4kg
XP07-14-03	880	337	453.2	3	7.4kg
XP07-14-04	1143	337	493	4	8.4kg





AISI304/316 STAINLESS STEEL BOX LADDER


Code	Amm	Bmm	Cmm	Size	Weight
XP07-15-01	404	340	70	3	5.5kg
XP07-15-02	458.2	340	70	4	5.6kg


AISI304/316 STAINLESS STEEL VERTICAL TRANSOM MOUNTING FOR SPORT DIVER LADDER


Code	Amm	Bmm	Size	Weight
XP07-16-01	404.9	340	3	3.9kg
XP07-16-01	458.2	340	4	5.1kg


AISI304/316 STAINLESS STEEL WHITE SWIM PLATFORM

Code	Amm	Bmm	Cmm	Size	Weight
XP07-17-01	404.9	354	37	3	3.8kg
XP07-17-02	458.2	354	38.1	3	5kg


AISI304/316 STAINLESS STEEL LADDER


Code	Amm	Bmm	Cmm	Size	Weight
XP07-18-01	874.2	248.5	218	3	7.18kg
XP07-18-02	1159.7	248.5	222	4	8.455kg


AISI304/316 STAINLESS STEEL LADDER

Code	Amm	Bmm	Cmm	Size	Weight
XP07-19-01	355	458	360	1	4.5kg
XP07-19-02	592	458	360	2	5.5kg
XP07-19-03	879	458	360	3	6.5kg


AISI304/316 STAINLESS STEEL/B SWIM PLATFORM

AISI304/316
XP07-20-01
XP07-20-02
XP07-20-03




AISI304/316 STAINLESS STEEL REMOVABLE FOLDING PONTOON BOARDING LADDER

AISI304/316
XP07-21-01
XP07-21-02
XP07-21-03
XP07-21-04




AISI304/316 STAINLESS STEEL FOLDING LADDER

Code	Amm	Bmm	Cmm	Size	Weight
XP07-22-01	355	458	360	1	5.2kg
XP07-22-02	592	458	360	2	6.2kg
XP07-22-03	879	458	360	3	7.2kg



AISI304/316 STAINLESS STEEL FOLDING LADDER


Code	Amm	Bmm	Cmm	Size	Weight
XP07-23-01	1080.5	766.5	340	4	3.8kg





2+1

Code	Amm	Bmm	Size	Weight
XP07-24-01	599	200	2+1	2kg
XP07-24-02	878	234	2+2	2.6kg
XP07-24-03	1084	234	3+2	3.2kg
XP07-24-04	1084	255	2+3	3.2kg
XP07-24-05	1315	255	3+3	3.8kg




2+1

Code	Amm	Bmm	Size	Weight
XP07-25-01	670	250	2+1	2.5kg
XP07-25-02	910	250	2+2	3.5kg
XP07-25-03	1150	250	3+2	4.5kg


AISI304/316 STAINLESS STEEL RECESSED CASTING ROD HOLDER

Code	Amm	Bmm	Cdeg	Dmm	Weight
XP08-01-15	215	51	15deg	42	0.635kg
XP08-01-30	215	51	30deg	42	0.635kg
XP08-01-90	215	51	90deg	42	0.635kg




AISI304/316 SS CAST WELDED CAPPED HEAVY DUTY ROD HOLDER

Code	Amm	Bmm	Cdeg	Dmm	Weight
XP08-02-15	215	51	15deg	42	0.586kg
XP08-02-30	215	51	30deg	42	0.586kg
XP08-02-90	215	51	90deg	42	0.586kg




AISI304/316 SS CAST WELDED CAPLESS HEAVY DUTY ROD HOLDER

Code	Amm	Bmm	Cdeg	Dmm	Weight
XP08-03-15	215	51	15deg	42	0.594kg
XP08-03-30	218	51	30deg	42	0.607kg
XP08-03-90	209	51	90deg	42	0.581kg




AISI304/316 SS CAST WELDED CAPLESS HEAVY DUTY ROD HOLDER


Code	Amm	Bmm	Cdeg	Dmm	Weight
XP08-04-15	215	51	15deg	42	0.594kg
XP08-04-30	218	51	30deg	42	0.607kg
XP08-04-90	209	51	90deg	42	0.581kg




AISI304/316 STAINLESS STEEL RECESSED CASTING ROD HOLDER

Code	Amm	Bmm	Cdeg	Dmm	Weight
XP08-05-15	215	51	15deg	42	0.628kg
XP08-05-30	215	51	30deg	42	0.628kg
XP08-05-90	215	51	90deg	42	0.628kg
XP08-06-15	215	51	15deg	42	0.628kg
XP08-06-30	215	51	30deg	42	0.628kg
XP08-06-90	215	51	90deg	42	0.628kg





AISI304/316 STAINLESS STEEL RECESSED CASTING ROD HOLDER


Code	Amm	Bmm	Cdeg	Dmm	Weight
XP08-07-15	213.5	51	15deg	42	0.628kg
XP08-07-30	213.5	51	30deg	42	0.628kg
XP08-07-90	213.5	51	90deg	42	0.628kg
XP08-08-15	213.5	51	15deg	42	0.628kg
XP08-08-30	213.5	51	30deg	42	0.628kg
XP08-08-90	213.5	51	90deg	42	0.628kg


AISI304/316 STAINLESS STEEL RECESSED CASTING ROD HOLDER

Code	Amm	Bmm	Cmm	Dmm	Edeg	Fmm	Weight
XP08-12-60	210	112	87	51	60deg	42	0.635kg
XP08-12-90	210	112	87	51	90deg	42	0.635kg


AISI304/316 STAINLESS STEEL FLUSH MOUNT ROD HOLDER

Code	Amm	Bmm	Cdeg	Dmm	Weight
XP08-13-15	213.5	51	15deg	42	0.628kg
XP08-13-30	213.5	51	30deg	42	0.628kg


AISI304/316 STAINLESS STEEL CUPHOLDER ROD HOLDER


Code	Amm	Bmm	Cmm	Flange	Dmm	Weight
XP08-14-15	221.5	53.5	74.9	15deg	42	0.485kg
XP08-14-30	221.9	53.5	74.9	30deg	42	0.485kg
XP08-14-90	212.5	53.5	74.9	90deg	42	0.485kg


AISI304/316 S.S. RECESSED FISHING ROD HOLDER WITH DRAIN

Code	Amm	Bdeg	Size	Weight
XP08-15-15	84	15deg	15deg	0.473kg
XP08-15-30	84	30deg	30deg	0.473kg
XP08-15-90	84	90deg	90deg	0.473kg


AISI304/316 STAINLESS STEEL RECESSED FISHING ROD HOLDER WITH DRAIN

Code	Amm	Bmm	Cdeg	Dmm	Weight
XP08-16-15	215	51	15deg	42	0.635kg
XP08-16-30	215	51	30deg	42	0.635kg
XP08-16-90	215	51	90deg	42	0.635kg



AISI304/316 S.S. RECESSED FISHING ROD HOLDER WITH DRAIN

Code	Amm	Bmm	Cdeg	Dmm	Weight
XP08-17-15	215	51	15deg	42	0.635kg
XP08-17-30	215	51	30deg	42	0.635kg
XP08-17-90	215	51	90deg	42	0.635kg



AISI304/316 S.S. RECESSED FISHING ROD HOLDER WITH DRAIN

Code	Amm	Bmm	Cdeg	Dmm	Weight
XP08-18-15	213.5	51	15deg	42	0.651kg
XP08-18-30	213.5	51	30deg	42	0.649kg
XP08-18-90	213.5	51	90deg	42	0.656kg




AISI304/316 S.S. RECESSED FISHING ROD HOLDER WITH DRAIN


Code	Amm	Bmm	Cdeg	Dmm	Weight
XP08-19-15	213.5	51	15deg	42	0.628kg
XP08-19-30	213.5	51	30deg	42	0.628kg
XP08-19-90	213.5	51	90deg	42	0.628kg




AISI304/316 STAINLESS STEEL FIXED FRAME FISHING ROD HOLDER

Code	Amm	Bmm	Size	Weight
XP08-20-257	257	50.8	257mm	0.475kg





AISI304/316 STAINLESS STEEL FIXED FRAME FISHING ROD HOLDER


Code	Amm	Bmm	Size	Weight
XP08-21-257	257	50.8	257mm	0.437kg


AISI304/316 STAINLESS STEEL RECESSED STAMPED ROD HOLDER


Code	Amm	Bmm	Cmm	Dmm	Size	Weight
XP08-22-230	92	230	360	50.5	230mm	1.1kg
XP08-22-290	92	230	360	50.5	290mm	1.2kg


AISI304/316 STAINLESS STEEL RECESSED STAMPED ROD HOLDER

Code	Amm	Bmm	Cdeg	Size	Weight
XP08-23-15	215	42	15deg	15deg	0.32kg
XP08-23-30	215	42	30deg	30deg	0.32kg
XP08-23-90	215	42	90deg	90deg	0.32kg


AISI304/316 STAINLESS STEEL SIDE-BY-SIDE FISHING ROD HOLDER


Code	Amm	Bmm	Cmm	Size	Weight
XP08-24-01	50.5	220	45	1	0.27kg
XP08-24-02	170	220	45	2	0.628kg
XP08-24-03	295	220	45	3	0.97kg
XP08-24-04	420	220	45	4	1.395kg
XP08-24-05	530	220	45	5	1.655kg
XP08-24-06	667	220	45	6	1.985kg
XP08-24-08	917	220	45	8	2.32kg


FISHING ROD HOLDER WITH BLACK RUBBER SLEEVE

Code	Amm	Bmm	Cmm	Size	Weight
XP08-25-03	297	230	50.5	3	1.38kg
XP08-25-04	425	230	50.5	4	1.9kg
XP08-25-04	542	230	50.5	5	2.33kg
XP08-25-06	667	230	50.5	6	2.85kg
XP08-25-08	925	230	50.5	8	4kg


AISI304/316 S.S. MULTI-ROD HOLDER FISHING ROD HOLDER

Code	Amm	Bmm	Cmm	Dmm	Size	Weight
XP08-26-03	290	220	44.5	125	3	1.235kg
XP08-26-04	425	220	44.5	125	4	1.94kg




AISI304/316 S.S. BLACK MULTI-ROD HOLDER FISHING ROD HOLDER

Code	Amm	Bmm	Cmm	Size	Weight
XP08-27-03	294	220	42	3	1.139kg
XP08-27-04	429	220	42	4	1.579kg




AISI304/316 S.S. MULTI-ROD HOLDER FISHING ROD HOLDER

Code	Amm	Bmm	Size	Weight
XP08-28-02	295	220	2	1.3kg
XP08-28-03	435	220	3	1.8kg




AISI304/316 STAINLESS STEEL REMOVABLE ROD HOLDER


Code	Amm	Bmm	Size	Weight
XP08-29-03	362.5	278.5	3	1.206kg
XP08-29-04	500.8	278.5	4	1.403kg




AISI304/316 S.S. MULTI-ROD HOLDER FISHING ROD HOLDER

Code	Amm	Bmm	Size	Weight
XP08-30-03	362.5	278.5	3	1.206kg
XP08-30-04	500.8	278.5	4	1.403kg





AISI304/316 STAINLESS STEEL REMOVABLE ROD HOLDER


Code	Amm	Bmm	Cmm	Size	Weight
XP08-31-210	360	51	14	210mm	0.719kg


AISI304/316 STAINLESS STEEL ADJUSTABLE BLACK LINED ROD HOLDERS


Code	Amm	Bmm	Cmm	Size	Weight
XP08-32-1925	232	50.8	19-25	19-25mm	0.713kg
XP08-32-2532	232	50.8	25-32	25-32mm	0.764kg
XP08-32-3250	232	50.8	32-50	32-50mm	1.099kg


AISI304/316 S.S. ADJUSTABLE WHITE LINED FLARED ROD HOLDERS

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
XP08-33-010	166	25	59	50	62	1"	0.355kg
XP08-33-013	166	32	66	55	62	1-1/4"	0.395kg


AISI304/316 STAINLESS STEEL WHITE ADJUSTABLE ROD HOLDER


Code	Amm	Bmm	Cmm	Size	Weight
XP08-34-1926	294	220	7/8"-1"	19-26mm	0.654kg
XP08-34-2532	429	220	1"-1-1/4"	25-32mm	0.654kg
XP08-34-3250	294	220	1-1/4"-2"	32-50mm	0.654kg


AISI304/316 S.S. ADJUSTABLE BLACK LINED ROD HOLDERS

Code	Amm	Bmm	Cmm	Size	Weight
XP08-35-1926	232	50.8	19-26	19-26mm	0.67kg
XP08-35-2532	232	50.8	25-32	25-32mm	0.77kg


AISI304/316 STAINLESS STEEL ADJUSTABLE FLARED ROD HOLDER

Code	Amm	Bmm	Size	Weight
XP08-36-1926	278.5	50.8	19-26mm	0.654kg
XP08-36-2532	278.5	50.8	25-32mm	0.654kg
XP08-36-3250	278.5	50.8	32-50mm	0.654kg




AISI304/316 STAINLESS STEEL ADJUSTABLE FLARED ROD HOLDER

Code	Amm	Bmm	Size	Weight
XP08-37-1926	278.5	50.8	19-26mm	0.654kg
XP08-37-2532	278.5	50.8	25-32mm	0.654kg
XP08-37-3250	278.5	50.8	32-50mm	0.654kg




AISI304/316 STAINLESS STEEL ADJUSTABLE ROD HOLDER

Code	Amm	Bmm	Cmm	Size	Weight
XP08-38-1926	257	50.8	19-26	19-26mm	0.654kg
XP08-38-2532	257	50.8	25-32	25-32mm	0.654kg
XP08-38-3250	257	50.8	32-50	32-50mm	0.654kg




AISI304/316 STAINLESS STEEL ADJUSTABLE ROD HOLDER


Code	Amm	Bmm	Cmm	Size	Weight
XP08-39-2225	265	50.8	22-25	22-25mm	1.3kg
XP08-39-2532	265	50.8	25-32	25-32mm	1.5kg
XP08-39-3250	265	50.8	32-50	32-50mm	1.6kg




AISI304/316 STAINLESS STEEL ADJUSTABLE FLARED ROD HOLDER

Code	Amm	Bmm	Cmm	Size	Weight
XP08-40-300	378	47.8	60	300mm	1.32kg




AISI304/316 STAINLESS STEEL SLANTED T-ROD HOLDER



Code	Amm	Bmm	Cdeg	Size	Weight
XP08-41-2532	305	51	1-1/4"	25-32mm	1.329

AISI304/316 STAINLESS STEEL SLANTED T-FLARE ROD HOLDER



Code	Amm	Bmm	Cdeg	Size	Weight
XP08-42-2225	260	54	7/8"-1"	22-25mm	0.786kg

AISI304/316 STAINLESS STEEL T-SHAPE ADJUSTABLE ROD HOLDER


Code	Amm	Bdeg	Cmm	Size	Weight
XP08-43-41	394	20deg	38	41mm	0.91kg

AISI304/316 STAINLESS STEEL TURRET ROD HOLDER



Code	Amm	Bdeg	Cmm	Size	Weight
XP08-44-41	394	20deg	38	41mm	0.915kg

AISI304/316 STAINLESS STEEL ROD HOLDERS


Code	Amm	Bmm	Size	Weight
XP08-45-41	450	38	41mm	1.098kg


AISI304/316 STAINLESS STEEL ELBOW ROD HOLDER

Code	Amm	Bmm	Size	Weight
XP08-46-38	496	308	38mm	4kg
XP08-46-50	496	308	50mm	4.5kg



AISI304/316 STAINLESS STEEL ELBOW ROD HOLDER

Code	Amm	Bmm	C	Size	Weight
XP08-47-63	63.5	38	6"~4"	63mm	4.8kg




AISI304/316 STAINLESS STEEL MULTIPLE ROD HOLDER

Code	Amm	Bmm	Size	Weight
XP08-48-29	64*125	29	29mm	0.8kg



AISI304/316 S. S. MULTI-ROD HOLDER FISHING ROD HOLDER


Code	Amm	Bmm	Size	Weight
XP08-49-03	385.8	254	3	1.599kg
XP08-49-03	863.6	254	4	2.131kg
XP08-49-03	1041.4	254	5	2.663kg




AISI304/316 STAINLESS STEEL RIGHT ROW ROD HOLDER

Code	Amm	Bmm	Cmm	Size	Weight
XP08-50-05	830	257	32	5	6.575kg





AISI304 2-TUBE ROD HOLDER


Code	Amm	Bmm	Cdeg	Size	Weight
XP08-51-01	536	110	45deg	1	0.7kg
XP08-51-02	536	236	45deg	2	0.97kg
XP08-51-03	536	438	45deg	3	2.88kg


AISI304 TRIPLE TUBE ROD HOLDER


Code	Amm	Bmm	Cdeg	Size	Weight
XP08-52-01	536	110	45deg	1	0.7kg
XP08-52-02	536	236	45deg	2	0.97kg
XP08-52-03	536	438	45deg	3	2.88kg


AISI304/316 STAINLESS STEEL TRIPLE TUBE ADJUSTABLE ROD HOLDER

Code	Amm	Bmm	Size	Weight
XP08-53-02	631	266	2	2.9kg


AISI304/316 S.S. CUP HOLDER ADJUSTABLE FISHING ROD HOLDER


Code	Amm	Bmm	Size	Weight
XP08-54-03	631	475	3	3.2kg


AISI304/316 STAINLESS STEEL VERTICAL ADJUSTABLE ROD HOLDERS

Code	Amm	Bmm	Size	Weight
XP08-55-03	260	260	3	2.4kg


AISI304/316 S.S. CUP HOLDER ADJUSTABLE FISHING ROD HOLDER


Code	Amm	Bmm	Cmm	Size
XP08-56-05	292+394.5	50+38	257	5



AISI304/316 STAINLESS STEEL VERTICAL ADJUSTABLE ROD HOLDERS


Code	Amm	Bmm	Cmm	Dmm	Size	Weight
XP08-57-02	660	50	100*80	260	2	2.8kg
XP08-57-03	762	50	100*80	260	3	3.1kg






AISI316 STAINLESS STEEL EYE END TOP CAP

Code	Amm	Bmm	Cmm	Dmm	Emm	Size
XP09-01-19	19.5	25	55	6.5	7	3/4"
XP09-01-20	20.5	25	55	6.5	7	4/5"
XP09-01-22	22.5	29	57	6.5	7	7/8"
XP09-01-25	25.8	32	57	6.5	7	1"
XP09-01-30	30.4	37	61	6.5	7.1	1-1/5"
XP09-01-32	32.5	39	61	6.5	7.2	1-1/4"
XP09-01-38	38.8	45	78	6.5	7.5	1-1/2"




AISI316 STAINLESS STEEL HEAVY-DUTY EYE END TOP CAP

Code	Amm	Bmm	Cmm	Dmm	Emm	Size
XP09-02-22	22.7	29.5	70	6.6	6.8	7/8"
XP09-02-25	25.5	33.2	70	63.5	29.5	1"




AISI316 STAINLESS STEEL HEAVY-DUTY EYE END TOP CAP

Code	Amm	Bmm	Cmm	Dmm	Emm	Size
XP09-03-22	22.5	27.8	61	5.5	6.6	7/8"
XP09-03-25	25.6	30.8	61	5.5	6.6	1"



AISI316 STAINLESS STEEL EYE END CAPS

Code	Amm	Bmm	Cmm	Dmm	Emm	Size
XP09-04-22	22.5	28.5	52.5	6.4	6	7/8"
XP09-04-25	25.7	31.5	54	6.4	7	1"
XP09-04-30	30.5	38	66.5	8	7	1-1/5"
XP09-04-32	32.6	39.3	67.3	8	8	1-1/4"




AISI316 STAINLESS STEEL HEAVY-DUTY EYE END CAPS


Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size
XP09-05-22	22.6	29	58.2	6.5	6.2	6	7/8"
XP09-05-25	25.8	31.8	58.3	6.4	7.2	6	1"
XP09-05-30	30.5	36	70.2	6.4	6.3	6	1-1/5"
XP09-05-32	32.4	38	70.7	6.5	6.4	6	1-1/4"

AISI316 STAINLESS STEEL TOP CAP BALL HEAD


Code	Amm	Bmm	Cmm	Dmm	Emm	Size
XP09-06-22	22.9	27.8	63	31	13.85	7/8"
XP09-06-25	25.6	31	63.3	32	13.85	1"


AISI316 STAINLESS STEEL BIMINI TOP FITTINGS INSIDE EYE END


Code	Amm	Bmm	Cmm	Dmm	Emm	Size
XP09-07-22	48	22	18.8	6	6	7/8"
XP09-07-25	49.4	25	21.6	6.8	6.4	1"


AISI316 STAINLESS STEEL BRACKET SLIDE CAP


Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size
XP09-08-25	34.2	25.7	87	12	6.1	4.7	1"



AISI316 STAINLESS STEEL SQUARE TOP CAP

Code	Amm	Bmm	Cmm	Dmm	Emm	Size
XP09-09-28	28	22.6	45	6.7	6.6	1-1/10"


AISI316 STAINLESS STEEL SQUARE TOP CAP


Code	Amm	Bmm	Cmm	Dmm	Emm	Size
XP09-10-32	32	27.3	45	6.7	6.6	1-1/4"






AISI316 STAINLESS STEEL DOUBLE-EYE END TOP CAP

Code	Amm	Bmm	Cmm	Dmm	Size	Weight
XP09-11-22	57.3	22.8	28.4	6.4	7/8"	0.115kg




AISI316 STAINLESS STEEL EYE END TOP CAP

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size
XP09-12-22	21.7	19.5	15.7	24.5	63	18	7/8"



AISI316 STAINLESS STEEL EYE END TOP CAP

Code	Amm	Bmm	Cmm	Size	Weight
XP09-13-22	75	27.5	22	7/8"	0.15kg
XP09-13-25	74	31	25	1"	0.16kg



AISI316 STAINLESS STEEL ELBOW TOP CAP

Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Size
XP09-14-22	28.6	22	57.6	55	17.8	30	7/8"
XP09-14-25	32.5	25.8	60	58.8	20	30	1"



Qingdao Xspeed Marine Technology Co., Ltd.

Stainless Steel Precision Casting Factory

WEBSITE

www.xspeedprop.com

EMAIL

sales@xspeedprop.com

WHATSAPP / WECHAT

+86 132 5689 6557

SCOPE

Custom Casting | CNC Machining
Surface Finishing | Export Supply

Scan to Contact Us

